# Guidelines for Selection of Schools for Swachh Vidyalaya Puraskar at the District Level

### A. Introduction

The Swachh Vidyalaya Puraskar is instituted by the Ministry of Human Resource Development, Government of India to recognize, inspire and celebrate excellence in sanitation and hygiene practice in Government Schools in both rural and urban areas. The explicit purpose of the awards is to honor schools that have undertaken significant steps towards fulfilling the mandate of the Swachh Vidyalaya Campaign. The Awards are given at the District, State and National level as per the process defined in the concept note on Swachh Vidyalaya Puraskar that can be accessed from the Swachh Vidyalaya Puraskar website (http://103.7.128.243:8080/index.aspx).

This note presents the process for selection of awards at District level.

#### **B.** Categories of Awards at District Level

The awards at District levels will be given under two categories:

- 1. District Level Award (8 Awards 6 for Rural Schools and 2 for Urban Schools)
  - Three Elementary (upto grade VIII) rural schools and Three Secondary (upto grade X) rural schools having the highest overall score with rating not below YELLOW will be selected for the District Level Award (Total Awards 6).
  - Two urban schools (one elementary and one secondary) having the highest overall score with rating not below YELLOW will be selected for the District Level Award (Total Awards 2).

However, each school should score a minimum of orange rating in each of the sub categories in order to be eligible for any award.

#### 2. Sub Category Wise Awards

- Six rural schools (three elementary and three secondary) in each of the Sub Categories (Water, Toilets, Handwashing with Soap, Operations and Maintenance, Behavior Change and Capacity Building) having the highest score and rating not below GREEN in the respective sub- category will be selected for sub-category wise awards at the district level (6 schools x 5 subcategories= Total 30 Awards).
- Two urban schools (one elementary and one secondary) in each of the Sub Categories having the highest score and rating not below GREEN in the respective sub- category will be selected for sub category wise awards at the district level (2 schools x 5 sub categories = Total 10 Awards.

### C. Process of Selection of Schools for Awards at District Level


 The District can access the complete information related to the overall scores and sub category wise scores classified under rural/ urban and elementary/ secondary by using the District login. (<u>http://216.151.168.101/login.aspx</u>)

C	vistrict Login	Cancel	D	istrict Login	Cano
State			State	TELANGANA	~
	Select State	~	District	WARANGAL	~
2 District	Select Districts	2	Login Type	District Co-Ordinator-Login	~
Login Type	Select	~	Enter Password (District Code)	••••	
	Select District Co-Ordinator-Login District Committee-Register District Committee-Login		Code,	Submit	

- The District will establish a District Level Committee headed by the District Collector and comprising of District Education officer, three eminent school teachers, Superintendent Engineer (Water supply / PHD), District Health Officer and two members from civil society organizations/NGOs.
- 3. District Level Committee will register by clicking on 'District Committee- Register' and filling in the fields of District Code and mobile number. Upon clicking on register, a One Time Password (OTP) would be received on the registered mobile number. District Committee will login using the OTP. The same OTP can be used by all the committee members to login.

State TELANGA		~	State	TELANGANA	~
TELANGA	NA	~			
Disastas		<u> </u>	District	WARANGAL	~
District WARANG	AL	~	Login Type	District Committee-Login	~
Login Type District Co	mmittee-Register	~	District Code	3609	
District Code 3609			Name of field evaluator	Praveen Kumar	
			Field evaluator mobile	9177646979	
Enter Mobile No 91776469	79		OTP - Password		

4. Upon logging in, the District Coordinator/ District Committee can access information related to submissions, performance and the list of schools that are **eligible for awards** (district level awards and sub-category wise awards). Based on the scores received the



list of **eligible schools** will be displayed in the ratio of 1:5 (i.e. for every 1 award a total

of 5 eligible schools are listed).

- 5. The lists of eligible schools can be viewed under the following categorisation under the tab of 'Reports':
  - 5.1 For District Level Awards:
    - a) Rural Elementary / Secondary
    - b) Urban Elementary / Secondary
  - 5.2 For sub- category wise Awards for Rural Elementary/ Secondary and Urban Elementary/ Secondary for each of the five subcategories.
  - 5.3 For Certificate of Recognition: the complete list of schools with overall GREEN rating is displayed.

Da	shBoard 🗣 Re	eorts+									1	oistic	Constitute
stric	rt Level Award I	.ist - Rurel	Elemant ural Seco								3	O	dand to the
£.44	Shoo Nama	U-Diss Code	Paravord	Recordent	Watardsone / Rank)	Tolet (Score / Fank)	Parthaaning With Soac(Score / Rank)	Operations And Heintenance (Score / Rank)	Behavlor Change And Gutethy Building(Score / Banky)	Score	Farcartága	angi Qank	SCrost Gategory
1	HPPS BODAGUTTA THANDA	36091901425	747602	Dr.Vookanti Yakuo Raddy	21 🙀	**	14 🛠	***	۵ <b>۵</b>		95.79%	*	Remarks
3	HORS PORAKALAPALLY	20094820410	795180	Thelacely Suren	21 📩	22 📩	10 😭	25 🙀	** 🙀	<b>85</b>	\$2.62%	-	Gementer
3	HORS KUNDARAPALLY	35594201202	459405	S. Kristma	19 🏫	24 😭	19 😭	25 🏫	20 😭	87	91 SON	*	Semantar
	HPUPS CHOWOUR	36091500601	655012	RERATI MACHUKAR REDOY	21 😭	28 😭	17 😭	12 🚖	<sup>15</sup> 😭	91	9194	*	Camantar
5	HERS RECOAURING ANA	36391631333	891313	2 Drachgn	21 😭	21 😭	19 🏫	12 😭	12 😭	-	\$9.47%	*	Samantar
a	NPUPS RAMANILAGUDEN	38091533105	485997	V@rackar reddy	19 🗙	23 🙀	19 👷	н 🕁	15 😭	89	89%	*	Eenantar
7	NPUPS BODLADA	30091901603	090481	KUMARAGWANY PATRI	19 🗙	20 👷	19 🚖	55 <b>cc</b>	5 ☆	85	2005	*	Semanter
	HPUPS NARSENGARURAH	35091600601	413325	O.Prakasn	19 📩	2 g	17 🏫	11 😭	12 <b>1</b>		100%	*	Gemanter
	NPPS RAVAPALLY	35594001002	857024	k.geetrarani	22 😭	49 🟫	10 🏫	a 🚖	12 😭	-	67 27%	#	Semantar
14	NOPS QUILASHADUR (H COLONY)	35390700004	622611	E RANADE/T	19 😭	20 🚖	17 😭	15 😭	a 🕁	-	67 27%	*	Semanter
11	HEPS ANARSTUGA THANDA	36092002002	959165	1.6224/04	19 🚖	22 🙀	19 🛧	10 📩	а <b>ф</b>	<u>,</u> ,	87,87%	*	Ferrarta
12	HEPS GREWNAGUNTUR RALLY	38094501102	250634	t manoran	21 🙀	21 👷	19 👷	ц	15 😭	\$7	175	*	Esmantar
ц	HEPS AUSALAKUNTA THANDA	35091700702	205425	DYX FRABILAKIR	20 😭	21 🙀	15 🚖	* 🙀	н <mark>ф</mark>	82	<b>85 32%</b>	*	Gemanter
28	HERS NEULA	38090700108	645224	0.840494564844	19 😭	22 🙀	20 😭	10. 🐈	10. 😭	-	65 32%	*	Eenantar
-	HERE BUCHT REDDY	30083400501	nm (\$122	11. SP217/AS	15 🔶	22 🙀	17 🍲	15 🏠	u 🏠	-	65.22%	*	Second

MHRD | Swachh Vidyalaya Puraskar 2016

Welcome to WARANGAL District Commit Control Panel



District Committee

Deveniend in Local

A DeshBoard 🔹 Reports+

Sub-Category Award List Urban / Elemantary

List of schools with green rating

Wate	r: Toilet	Handwashing	With Soap	Operation	ns And Mainter	sance Behavi	or Chang	ge And C	apacity Buil	ding
2.H5	School Warne	0.010 0.00	Paravord	Respondent	Hoble No	Small 10	600%	Rating	Percercage	SChool Category
47	GPS KAREDHABAD TH	36095190211	700737	O SROKAWTH	09949775030		22	*	100%	Barrantary
2	GPS RANAVITARET	00095190213	562202	ARMA	09908702343		20	*	92,91%	Demantary
a (	GPS KARDHABAD	30095190308	1014909	md shameuddn	09704252687		20	4	90.91%	Demantary
4	HPPS BOLLTRUNTA H/W	36092300107	121795	K.Vankabashikartu	09955236317	kykota62@yanoo.com	20	*	90.92%	Samartary

🚊 MHRI	)   <mark>Swachh Vidyalaya</mark>   <sub>Puraskar</sub> 2016	Welcome to V Control Pane
A DeshBoard 🗣	Reporta •	

5.49	School Name	U-Dise Code	Respondent	Erel D	Mobile No	Water(Score / Rank)	Tolet(Score / Renk)	Handwashing Woh Scep(Score / Rank)	Operations And Maintenance(Score / Rank)	Beharror Change And Capecity Ruilding/Score / Rank)	Score	Percentage	Final Rank	Location	SChool Category
1	MPPS BODAOUTTA THANDA	36001901425	Dr Vookanti Yakuti Ractiy		00704481501	थ 🙀	26 🏠	**	14 🏫	12 🏠	8	95.79%	*	Rural Area	Primary
1	TELANGANA	36092002718	J. Soumye	kotteguda kgbs@gmail.com	87680948717	23 🏫	18 🙀	37 🏫	10 🏫	15 🙀	85	94.51%	*	Rueal	Secondary
3	TSOWREIS HS (B) CHERLAL	35080100628	KRUSHINA REDOY		09441036015	23 🏠	15 🏫	22 🏠	15 👷	12 👷	83	94.19%	*	Rurel Area	Secondary
4	TELANGANA	39000931701	BOODIDA SUDHAKAR	audhakar boodida2011@gmail.com	06396732238	22.	23 ★	19 🙀	14 👷	15 👷	93	03%	\$	Rural Area	Pinay
5	MPPS PORAKALAPALLY	36084000470	Thailapally Suresh	sureshthaliepelly2293@gmail.com	89704928210	21 🙀	27	***	15 😭	11 🙀	88	92,63%	*	Runal Area	Primary
	TERMINES HE, JC	36001193420	S Vidye Ren:		08341742860	22 🙀	17 🚖	14 🙀	13 🚖	15 😭	84	82,015	*	Rurel Area	Secondary
7	MPPS RUNDANAPALLY	36094201308	S.Srishna		07731967151	18 🏫	14 😭	15 🏫	15 🏠	זף מר	17	91.58%	\$	Rural Area	Primary
8	TSSWREIS HS (G) THORPUR	35051201119	K PRATHYUSHA	pil wgi thama 1958 govel.com	09704550195	23 🏫	16 📩	17 💼	14 👷	15 🙀	13	91,215	*	Rural Area	Secondary
8	TELANDANA	35085000854	K.Basi		59441131627	22 🏠	27 🏫	14 😭	13 🚖	15 😭	-	01%	\$	Rucel Area	Secondary


## Download To Local

00

willes -

GAL District Committee

- 6. The District Level Committee (or their appointees) shall conduct physical verification of all the eligible schools listed. Every eligible school should be visited by a two-member field validation team.
- 7. The field validation team would conduct physical verification of schools from the lists in the Committee Login. The committee will assign the schools to the field inspection teams who will visit the schools and fill the questionnaire using the Android based Swachh Vidyalaya Puraskar mobile app.
- 8. The field inspection team will click on the icon of 'District Committee Login' on the mobile app and login using district code and the OTP generated for login on the website. After logging in, the team will select the relevant category to access the list of eligible schools. Clicking on the UDISE code of the school will take the screen to the sections of the survey instrument.




MHRD Swache Vidyalaya 2016		MHRD Swetcht Sharat Paraskar Swetcht Vidyalayar 2016
District Level Award List Rural / elementary	School Name	GPS KARIMABAD
	U-DISE	: 36095190206
36095190206 GPS KARIMABAD	Score / Percentage	83 (87.37 %)
Name : md shamsuddin	Rating	***
Mobile : 09704353687		
Email : - Score ( Percentage ) : 83 ( 87.37 % )		
Rating : 🖈 🖈 🛊	1 Primar	ry Information
36095190644		
GPS MACHLIBZR Name : MD AMJAD ALI		
Mobile : 09391637977	Water	
Email : -	1.875	
Score (Percentage): 80 (84.21 %) Rating : 幹 🕸 🏟		
36094806501	Toilet	
MPPS ANKAMPALLY		
Name : K.SARASWATHI Mobile : 08985007463	-	
Email : •	Handy	vashing With Scap
Score ( Percentage ) : 79 ( 83.16 % )		
Rating : 🟚 🛣 🚔	0.550	
36092402344	Operat	tions And Maintenance
TW ASHRAM UPS (B) MAHABUBABAD Name : PODUGU NARSAIAH	-110	
Mobile : 09490580393		
Email :-	1 mil	
Score(Percentage): 71(82.56 %) Rating : 🗙 🛠 🛣	f Behav	ior Change And Capacity Building
36091000705		
MPPS BHEEMARAM	•	
Name : K.vijayalaxmi Mobile : 09885808062	(image	9
Email : -		
Score ( Percentage ) : 77 ( 81.05 % )	<u></u>	
Rating : 🚖 🚖 🚖	Feedb	ack


9. The team will go to each of the seven sections and fill in the field validation survey information. The information submitted earlier by the school during application for awards can be seen displayed under each question in red color. The team will complete all the sections and click on the submit button. Any additional comments, feedback and observations by the team can be filled in the 'Feedback' prior to submission.

MHRD Swachh Vidyalaya 2016	MHRD Swachh Bharat Puraskar Swachh Vittystaya 2016
District Id : 001234 Toilet	District Id : 0012345 Water
	1 ) What is the source of drinking water in the school
1) Does the school have separate toilet units (1 toilet seat and 3 urinals) in working condition for boys and girls (If he all boys) all girls school has toilet units ① There are no toilet units for boys and girls in the school ② The are no toilet unit is used by boys and girls ③ The all boys? all girls school has toilet units ③ The all boys? all girls school has toilet units ③ If co-education, there is at least one toilet unit each for boys and girls	1) Yindi is the source of annuling water in the school Transfer Annuling water with water stonge scale within the school premises 5) Students do not have access to diriking water 5) Students bring drinking water from home 1) Hand pump / bore well within the school premises 1) Filtered (packaged/ Ro/U/ water provided by the school 1) Treated running water with water storage tank within the school premises
2 ) How many toilets in working condition does the school have for boys and piris	2 ) What is the quantity of water available in the school for drinking More than 1.5 liftes per person per day throughout the year.
Boys	<ul> <li>Not Applicable</li> <li>Less than 1.5 litres per student per day</li> </ul>
1 Girls	More than 1.5 litres per person per day throughout the year
1	3 ) How is drinking water stored in the school Container/pitcher with lid and ladie
1	<ul> <li>Not Applicable</li> <li>No storage system for storing drinking water</li> </ul>
3 ) How many urinals does the school have for boys and girls Soys	Container /pitcher Container/pitcher with lid and ladle
1	4 ) Is the quality of drinking water tested
Siris	Cested twice in a year
1	<ul> <li>No testing</li> <li>Tested once in a year</li> </ul>
	Tested twice in a year
Joes the school have tollets for Children with Special Needs     Not Applicable	5 ) What is the source of water for use in toilets Continuous water supply through taps inside each toilet unit
Not Applicable     Toilets are not accessible by CWSN	No water available Hand pump/bucket near toilet unit
There is at least one toilet that is accessible to CWSN There is at least one separate toilet for CWSN with ramp and handrail The school has at least one separate toilet for CWSN with ramp, handrail, wide door for wheelchair entry and support structure inside toilet	Drums/ cement tanks/ plastic containers with water inside the toilet unit Continuous water supply through taps inside each toilet unit  b) What is the source of water for hand-washing after using toilets  b) What is the source of water for hand-washing after using toilets  b) What is the source of water for hand-washing after using toilets  b) What is the source of water for hand-washing after using toilets  c) What is the source of water for hand-washing after using toilets  c) What is the source of water for hand-washing after using toilets  c) What is the source of water for hand-washing after using toilets  c) What is the source of water for hand-washing after using toilets  c) What is the source of water for hand-washing after using toilets  c) What is the source of water for hand-washing after using toilets  c) What is the source of water for hand-washing after using toilets  c) What is the source of water for hand-washing after using toilets  c) What is the source of water for hand-washing after using toilets  c) What is the source of water for hand-washing after using toilets  c) What is the source of water for hand-washing after using toilets  c) What is the source of water for hand-washing after using toilets  c) What is the source of water for hand-washing after using toilets  c) What is the source of water for hand-washing after using toilets  c) What is the source of water for hand-washing after using toilets  c) What is the source of water for hand-washing after using toilets  c) What is the source of water for hand-washing after using toilets  c) What is the source of water for hand-washing after using toilets  c) What is the source of water for hand-washing toilets  c) What is the source of water for hand-washing toilets  c) What is the source of water for hand-washing toilets  c) What is the source of water for hand-washing toilets  c) What is the source of water for hand-washing toilets  c) What is the source of water for hand-washing toilets  c) What is the source of water for hand-washing t
There is at least one toilet that is accessible to CWSN There is at least one separate toilet for CWSN with ramp and handrail The school has at least one separate toilet for CWSN with ramp, handrail, wide door for wheelchair entry and support structure inside toilet	Continuous water supply through tops inside each toilet unit b) What is the source of water for hand-washing after using toilets MHRD Sweech Unaret MHRD Sweech Viewaley Pur askar 2016
There is at least one tollet that is accessible to CWSN There is at least one separate tollet for CWSN with ramp and handrall The school has at least one separate toilet for CWSN with ramp, handrail, wide door for wheelchair entry and support structure inside toilet	Continuous water supply through tops inside each toilet unit b) What is the source of water for hand-washing after using toilets  MHRD MHRD MWeachh Bharat Paraskar 2016 School Name : GPS KARIMABAD U-DISE : 36095190206
There is at least one tollet that is accessible to CWSN     There is at least one separate toilet for CWSN with ramp, handrail,     The school has at seast one separate toilet for CWSN with ramp, handrail,     wide door for wheelchair entry and support structure inside toilet     WIRD Search Vidysteyn     Pureska      District Id : 001234      Primary Information	Continuous water supply through taps inside each toilet unit  b) What is the source of water for hand-washing after using toilets  Continuous water supply through taps inside each toilet unit  b) What is the source of water for hand-washing after using toilets  Continuous water supply through taps inside each toilet unit  b) What is the source of water for hand-washing after using toilets  Continuous water supply through taps inside each toilet unit  b) What is the source of water for hand-washing after using toilets  Continuous water supply through taps inside each toilet unit  b) What is the source of water for hand-washing after using toilets  Continuous water supply through taps inside each toilet unit  b) What is the source of water for hand-washing after using toilets  Continuous water supply through taps inside each toilet unit  b) What is the source of water for hand-washing after using toilets  Continuous water supply through taps inside each toilet unit  b) What is the source of water for hand-washing after using toilets  Continuous water supply through taps inside each toilet unit  b) What is the source of water for hand-washing after using toilets  Continuous water supply through taps inside each toilet unit  continuous water supply through taps inside each toilet unit  continuous water supply through taps inside each toilet unit  continuous water supply through taps inside each toilet unit  continuous water supply taps inside each taps i
There is at least one tollet that is accessible to CWSN There is at least one separate tollet for CWSN with ramp, handrail The school has at least one separate tollet for CWSN with ramp, handrail, wide door for wheelchair entry and support structure inside toilet MHRD MHRD MHRD Primary Information U-DISE Code DOS190206	Continuous water supply through tops inside each toilet unit  b) What is the source of water for hand-washing after using toilets  MHRD Weacht Bharat Widy My Pur ask ar  2016 School Name GPS KARIMABAD U-DISE GPS KARIMABAD U-DISE Score / Percentage Stating Control of the source of
There is at least one tollet that is accessible to CWSN There is at least one sparse tollet of CWSN with ramp and handrall tollet of the set one sparse tollet of CWSN with ramp, handrail, wide door for wheelchair entry and support structure inside toilet	Continuous water supply through taps inside each toilet unit  b) What is the source of water for hand-washing after using toilets  Continuous water supply through taps inside each toilet unit  b) What is the source of water for hand-washing after using toilets  Continuous water supply through taps inside each toilet unit  b) What is the source of water for hand-washing after using toilets  Continuous water supply through taps inside each toilet unit  b) What is the source of water for hand-washing after using toilets  Continuous water supply through taps inside each toilet unit  b) What is the source of water for hand-washing after using toilets  Continuous water supply through taps inside each toilet unit  b) What is the source of water for hand-washing after using toilets  Continuous water supply through taps inside each toilet unit  b) What is the source of water for hand-washing after using toilets  Continuous water supply through taps inside each toilet unit  b) What is the source of water for hand-washing after using toilets  Continuous water supply through taps inside each toilet unit  b) What is the source of water for hand-washing after using toilets  Continuous water supply through taps inside each toilet unit  continuous water supply through taps inside each toilet unit  continuous water supply through taps inside each toilet unit  continuous water supply through taps inside each toilet unit  continuous water supply taps inside each taps i
There is at least one tollet that is accessible to CWSN There is at least one separate tollet for CWSN with ramp, handrail The school has at least one separate tollet for CWSN with ramp, handrail, wide door for wheelchair entry and support structure inside toilet MHRD MHRD MHRD Primary Information U-DISE Code DOS190206	Continuous water supply through tops inside each toilet unit  b) What is the source of water for hand-washing after using toilets  MHRD Weacht Bharat Widy My Pur ask ar  2016 School Name GPS KARIMABAD U-DISE GPS KARIMABAD U-DISE Score / Percentage Stating Control of the source of
There is at least one tollet that is accessible to CWSN There is at least one soparate tollet for CWSN with ramp and handrall There is at least one soparate tollet for CWSN with ramp, handrall, wide door for wheelchair entry and support structure inside toilet MHRD Method Bhanat MHRD Method Bhanat Bissechb Vidysleys Par sek ar 2016 District Id : 001234 Primary Information U-DISE Code District Code District Id : 001234 Name of School and Address Name of School and Address	Continuous water supply through tops inside each toilet unit  b) What is the source of water for hand-washing after using toilets  MHRD Weacht Bharat Widy My Pur ask ar  2016 School Name GPS KARIMABAD U-DISE GPS KARIMABAD U-DISE Score / Percentage Stating Control of the source of
There is at least one tollet that is accessible to CWSN There is at least one separate tollet for CWSN with ramp, handrail, the school has at least one separate tollet for CWSN with ramp, handrail, wide door for wheelchair entry and support structure inside toilet MHRD MRD Primary Parask District Id : 001234 Primary Information U-DISE Code D051190206 6095190206 Name of School and Address S KARMABAD	Continuous water supply through tops inside each toilet unit  b) What is the source of water for hand-washing after using toilets  MHRD Weacht Bharat Widy My Pur ask ar  2016 School Name GPS KARIMABAD U-DISE GPS KARIMABAD U-DISE Score / Percentage Stating Control of the source of
There is at least one tollet that is accessible to CWSN There is at least one separate tollet for CWSN with ramp, handrail The school has at least one separate tollet for CWSN with ramp, handrail, wide door for wheelchair entry and support structure inside toilet MHRD Methodshare Primary Information U-DISE Code COS1190206 Name of School and Address S KARIMABAD EVENT A Contemport of the separate toilet School and Address S KARIMABAD	Continuous water supply through tops inside each toilet unit  What is the source of water for hand-washing after using toilets  MHRD Sweeth Enault MHRD Sweeth Enault MHRD Sweeth Enault MHRD Sweeth Enault Context of the source
There is at least one tollet that is accessible to CWSN There is at least one separate tollet for CWSN with ramp, handrail, The school has at least one separate tollet for CWSN with ramp, handrail, Mide door for wheelchair entry and support structure inside toilet MIRD methods and support structure inside tollet MIRD methods and support structure inside tollet District Id : 001234 Primary Information U-DISE Code District Id : 001234 District	Continuous water supply through tops inside each toilet unit  What is the source of water for hand-washing after using toilets  MHRD Sweeth Enault MHRD Sweeth Enault MHRD Sweeth Enault MHRD Sweeth Enault Context of the source
There is at least one tollet that is accessible to CWSN There is at least one separate tollet for CWSN with ramp, handrail The school has at least one separate tollet for CWSN with ramp, handrail, wide door for wheelchair entry and support structure inside toilet The school has at least one separate tollet for CWSN with ramp, handrail, wide door for wheelchair entry and support structure inside toilet The school has at least one separate tollet for CWSN with ramp, handrail, The school has at least one separate toilet for CWSN with ramp, handrail, The school has at least one separate toilet for CWSN with ramp, handrail, The school has at least one separate toilet for CWSN with ramp, handrail, The school has at least one separate toilet for CWSN with ramp, handrail, The school has at least one separate toilet for CWSN with ramp, handrail, The school has at least one separate toilet for CWSN with ramp, handrail, The school has at least one separate toilet for CWSN with ramp, handrail, The school has at least one separate toilet for CWSN with ramp, handrail, The school has at least one separate toilet for CWSN with ramp, handrail, The school has at least one separate toilet for CWSN with ramp, handrail, The school has at least one separate toilet for CWSN with ramp, handrail, The school has at least one separate to the school has at least one school has at least one separate to the scho	Continuous water supply through tops inside each toilet unit  What is the source of water for hand-washing after using toilets  MHRD Sweeth Enault MHRD Sweeth Enault MHRD Sweeth Enault MHRD Sweeth Enault Context of the source
There is at least one separate toilet for CWSN with ramp and handrall There is at least one separate toilet for CWSN with ramp, handrall, wide door for wheelchair entry and support structure inside toilet MHRD Primary Information U-DISE Code POS 100006 6095190206 Name of School and Address S KARIMABAD Name of Respondent: I sharmsuddin Designation of Respondent and Sharmsuddin Designation of Respondent and Matters School Incharge	Continuous water supply through tops inside each toilet unit  What is the source of water for hand-washing after using toilets  MHRD Sweeth Enault MHRD Sweeth Enault MHRD Sweeth Enault MHRD Sweeth Enault Context of the source
There is at least one tollet that is accessible to CWSN There is at least one solution to like the CWSN with ramp and handrall There is at least one solution to like the CWSN with ramp, handrall, wide door for wheelchair entry and support structure inside toilet MHRD method bland MHRD method bland Primary Information U-DISE Code District Id : 001234 Primary Information Designation of Respondent: Designation of Respondent District Id : 001234 Designation of Respondent District Id : 00124 Designation of Respondent Designation of Respondent District Id : 00124 District Id : 00124 District Id : 00124	Continuous water supply through tops inside each toilet unit  What is the source of water for hand-washing after using toilets  MHRD Sweeth Enault MHRD Sweeth Enault MHRD Sweeth Enault MHRD Sweeth Enault Context of the source
There is at least one tollet that is accessible to CWSN There is at least one separate tollet for CWSN with ramp, handrail The school has at least one separate tollet for CWSN with ramp, handrail, wide door for wheelchair entry and support structure inside toilet The school has at least one separate tollet for CWSN with ramp, handrail, wide door for wheelchair entry and support structure inside toilet The school has at least one separate tollet for CWSN with ramp, handrail, The school has at least one separate toilet for CWSN with ramp, handrail, The school has at least one separate toilet for CWSN with ramp, handrail, The school has at least one separate toilet for CWSN with ramp, handrail, The school has at least one separate toilet for CWSN with ramp, handrail, The school has at least one separate toilet for CWSN with ramp, handrail, The school has at least one separate toilet for CWSN with ramp, handrail, The school has at least one separate toilet for CWSN with ramp, handrail, The school has at least one separate toilet for CWSN with ramp, handrail, The school has at least one separate to construct the inside toilet to construct the school has at least one separate to construct the school has at least one separate to construct the school has at least one separate to construct the school has at least one separate to construct the school has at least one separate to construct the school has at least one separate to construct the school has at least one separate to construct the school has at least one separate to construct the school has at least one separate to construct the school has at least one separate to construct the school has at least one separate to construct the school has the school ha	Continuous water supply through tops inside each toilet unit  What is the source of water for hand-washing after using toilets  MHRD Sweeth Enault MHRD Sweeth Enault MHRD Sweeth Enault MHRD Sweeth Enault Context of the source
There is at least one point toliet that is accessible to CWSN There is at least one sparate toilet for CWSN with ramp, handrail, The school has at least one separate toilet for CWSN with ramp, handrail, Mide door for wheelchair entry and support structure inside toilet MIRD method and support structure inside toilet MIRD method bland Primary Information U-DISE Code Dost 100206 6095190206 6095190206 Se KARIMABAD PS KARIMABAD Name of Respondent: Se Main Structure inside to Second blands Designation of Respondent at Mainters School In-charge Teacher Others Contact Details of Respondent:	Continuous water supply through tops inside each toilet unit  What is the source of water for hand-washing after using toilets  MHRD Sweeth Enault MHRD Sweeth Enault MHRD Sweeth Enault MHRD Sweeth Enault Context of the source
There is at least one tollet that is accessible to CWSN There is at least one separate toilet for CWSN with ramp, handrail, the school has at least one separate toilet for CWSN with ramp, handrail, the school has at least one separate toilet for CWSN with ramp, handrail, the school has at least one separate toilet for CWSN with ramp, handrail, the school has at least one separate toilet for CWSN with ramp, handrail, the school has at least one separate toilet for CWSN with ramp, handrail, the school has at least one separate toilet for CWSN with ramp, handrail, the school has at least one separate toilet for CWSN with ramp, handrail, the school has at least one separate toilet for CWSN with ramp, handrail, the school has at least one separate toilet for CWSN with ramp, handrail, the school has at least one separate toilet for CWSN with ramp, handrail, the school has at least one separate toilet for CWSN with ramp, handrail, the school has at least one separate toilet for CWSN with ramp, handrail, the school has at least one separate toilet for CWSN with ramp, handrail, the school has at least one separate toilet for CWSN with ramp, handrail, the school hand has the school has at least to the school hand has been school has been school hand has been	Continuous water supply through tops inside each toilet unit  What is the source of water for hand-washing after using toilets  MHRD Sweeth Enault MHRD Sweeth Enault MHRD Sweeth Enault MHRD Sweeth Enault Context of the source
There is at least one separate toilet for CWSN with ramp, handrail, The set has to nese separate toilet for CWSN with ramp, handrail, wide door for wheelchair entry and support structure inside toilet MHRD methods with ramp, handrail, MHRD methods with ramp, handrail, MHRD methods with ramp, handrail, MHRD methods with ramp, handrail, Parask ar 2015 2016 2015 2017 2015 2017 2015 2017 2015 2017 2015 2017 2015 2017 2015 2017 2015 2017 2015 2017 2015 2017 2015 2017 2015 2017 2015 2017 2015 2017 2015 2017	Continuous water supply through tops inside each toilet unit  What is the source of water for hand-washing after using toilets  MHRD Sweeth Enault MHRD Sweeth Enault MHRD Sweeth Enault MHRD Sweeth Enault Context of the source
There is at least one point toliet that is accessible to CWSN with ramp, handrail There is at least one separate toilet for CWSN with ramp, handrail, wide door for wheelchair entry and support structure inside toilet MIRED Teacher Diatrice Teacher Parate District Id : 001234 Primary Information U-DISE Code District Id : 001234 Primary Information Primary I	Continuous water supply through tops inside each toilet unit  What is the source of water for hand-washing after using toilets  MHRD Sweeth Enault MHRD Sweeth Enault MHRD Sweeth Enault MHRD Sweeth Enault Context of the source
There is at least one separate toilet for CWSN with ramp, handrail, The set heast one separate toilet for CWSN with ramp, handrail, the school has at least one separate toilet for CWSN with ramp, handrail, Wile door for wheelchair entry and support structure inside toilet MHRD Market Blancet Primary Information U-DISE Code DO55190206 6095190206 6095190206 Name of School and Address S KARIMABAD Name of Respondent: I shermauddin Designation of Respondent: I shermary freed Mattress School Incharge Teacher Others Contact Details of Respondent: head Master/ Head Mattress School Incharge Teacher Others Contact Details of Respondent: head Namsed School and Statess School Incharge Teacher Others Contact Details of Respondent: head Master/ Head Mattress School Incharge Teacher Detail Address School Incharge Teacher Detail Address School Incharge Teacher Detail Address School Incharge Teacher Detail Address School Incharge Teacher Detail Address School Incharge School Incharge School Incharge School Incharge School Incharge School Incharge School	Continuous water supply through tops inside each toilet unit  What is the source of water for hand-washing after using toilets  MHRD Sweeth Enault MHRD Sweeth Enault MHRD Sweeth Enault MHRD Sweeth Enault Context of the source

10. The District Level Committee will review the field inspection reports and select the schools for (a) District Level Awards (total 8), (b) Sub-category wise awards (total 40) and (c) Certificate of Recognition.



11. The District Collector will formally select and sign off the list of award winning schools (total of a maximum of 48) for nominating entries to the state level awards. The District Collector will login through the 'District Coordinator' login, go to the page of the award category and click on the checkbox adjacent to the award winning schools. The process of selection and submission to the state level would be completed by clicking on the 'submit' button at the bottom of the page for every award category. The list of award winning schools can be downloaded as an excel file.



- 12. The District Collector should felicitate the winners in a public function organized exclusively for Swachh Vidyalaya program.
- 13. The process of nominating entries for the state level awards should be completed by 31<sup>st</sup> August, 2016.